

Expanded Methodology for SWC MRIO Emissions Factors v2.0



SMALL O
WORLD
CONSULTING

Contents

Executive Summary.....	2
Purpose	2
Output	2
Usages	2
Methodology Overview.....	3
Validation.....	4
Principles of Environmentally Extended Input-Output Analysis	5
EEIO Modelling and Leontief.....	5
Multi-regional Input-Output (MRIO) Analysis	6
Construction of the SWC MRIO Model	7
Core Data	7
Estimating Environmental Accounts	8
Calculating the Final Emissions Factors	21
SWC UK Model Methodology	22
Description of EEIO Modelling	23
Other Key Notes on Methodology	24
Treatment of High-Altitude Emissions	24
Gross Fixed Capital Formation	24
Uncertainties	24
References	25
Appendix A: Regional Coverage of the OECD ICIO Tables.....	27
Appendix B: Sectoral Classification of the OECD ICIO Tables	28
Appendix C: Full List of Data Sources by Organisation.....	29
Appendix D: Key Changes From v1.0.....	33

Executive Summary

Purpose

SWC's Environmentally Extended Multi-Regional Input-Output (MRIO) model has been built to help companies and other organisations estimate their supply chain emissions in a way that is complete, realistic, practical and transparent. The model is designed to reflect the differences in average carbon intensity of goods and services from each industry, supplied from or purchased within different countries.

The overall purpose of the model is to make these datasets free and publicly available, together with basic guidance on how to use them, and in doing so to raise the standard and compatibility of company supply chain emissions reporting, globally.

Output

The output of the model is a set of spend-based GHG emissions factors for purchases from 103 industry categories in 75 countries. Each emissions factor is broken down into the supplier's scope 1, 2 and upstream scope 3 components. Emissions factors are reported in both basic prices and purchasers' prices; in other words, both with and without distributors' margins (wholesale, retail and transport markups) and taxes.

There is also a second set of emissions factors for use if only the country of purchase – not the country of production – is known; for example, if a company in a known country buys something but does not know where it was produced. These datasets use a weighted average of emissions factors for countries supplying the country in question with products from the industry concerned.

Usages

These emissions factors can be combined with organisational spend data to provide a rough first estimate of company supply chain emissions and some guidance as to likely hotspots. This estimate can then be improved by augmenting with elements of process-based life cycle analysis, where appropriate physical consumption data exists. In such instances, great care should be taken to preserve the system-complete boundary

conditions that are essential and easy to achieve through EEIO spend-based assessments¹.

Methodology Overview

Economic input-output models use data on trade between industries to estimate, for each industry, the total output that is required, directly and indirectly, from every other industry in the economy in order to produce each industry's products. This can be 'environmentally extended' by combining with data on each industry's total emissions, to produce industry-specific estimates of the emissions arising directly and indirectly from every industry in the economy, per unit of output. A multi-regional input-output model (MRIO) distinguishes between industries in different regions of the world. Environmentally extended MRIOs seek to estimate the carbon intensity, and sometimes the water intensity, per unit of financial output of every industry in every region within the model. They rely on industry-specific data on trade between every country or region in the model, much of which is difficult or impossible to obtain with a high-level industry resolution.

This model adopts an approach designed to obtain sufficient granularity with somewhat fewer problematic requirements regarding the data, in order to increase both the realism of the results for our intended purpose and the practicality of creating and updating the model. We begin by developing an environmentally extended MRIO model by drawing upon a coarse-grained Inter-Country Input-Output (ICIO) table produced by the OECD, covering 45 industry sectors in 75 countries. We environmentally extend this using country and industry emissions data, drawn from the OECD data where this is available. Where it is not, we make estimates using energy and emissions data from the United Nations and other sources. To increase the granularity of the model we separately produce a 105-sector EEIO based on UK data alone, using relatively high-quality data from the Office of National Statistics. We use the results of this model to upscale the 45-sector MRIO to 105 sectors, by making the core approximation that the ratio of carbon intensities between each disaggregated subsector is similar in each country in the model.

A few other core methodology details deserve a mention in this short overview. The model treats capital investment as part of the supply chain for a company, so that associated emissions become part of company supply chain emissions. A markup factor of 1.7 is applied to high-altitude emissions to take account of the additional radiative

¹ This process is described in more detail in a separate document: *Integrating process-based life cycle analyses (LCAs) into spend-based environmentally extended input-output (EEIO) emissions estimates for company supply chains*. <https://www.sw-consulting.co.uk/files/SWC-Hybridisation-Guide.pdf>

forcing effects that occur at high altitude. Finally, the model deals with the full Kyoto basket of greenhouse gases covered by the Greenhouse Gas Protocol (GHGP) and combines these into a single metric in terms of their carbon-dioxide-equivalent warming potential over a 100-year period. The emissions units of emissions factors are expressed as kgCO₂e/£.

Please note that all of the datasets used within the SWC MRIO model, including those referred to in this document, may be found in Appendix C.

Validation

The results have been tested against process-based analyses of a simple commodity, and against other leading MRIO models. The work is ongoing, and the results so far have been both encouraging and supportive of the approach taken and assumptions made. As and when time and resources permit, we hope to make these checks and comparisons public.

Principles of Environmentally Extended Input-Output Analysis

EEIO Modelling and Leontief

Input-Output Modelling was developed by Wassily Leontief in the late 1930s to demonstrate how changes in final demand for products and services stimulate activity in industry sectors other than the supplying sector. It is widely used in economics to estimate the impacts of economic activities. EEIO combines economic information about the trade between industrial sectors (IO tables) with environmental information about the emissions (environmental accounts) arising directly from those sectors, to produce estimates of the emissions per unit of output from each sector (emissions factors). The central technique is long established and well documented (Leontief 1986, Miller and Blair 1985). EEIO offers some key advantages, worth noting, over more traditional process-based life cycle approaches:

- EEIO does not suffer from ‘truncation error’, the systematic underestimation that process-based analyses incur through their inability to trace every single pathway in the supply chains. Although, as with process-based life cycle approaches, there may be inaccuracies in EEIO’s methods of avoiding this underestimation.
- To produce a crude, simple but complete assessment of supply chain emissions the data requirement is very small: no more than a purchase ledger, categorised by types of goods and services purchased.
- EEIO has at its root a transparently impartial process for calculating emissions factors, whereas life cycle approaches entail more subjective judgements regarding the setting of boundaries and the selection of secondary conversion factors.
- EEIO can be used to estimate the footprints resulting from complex activities, such as the purchase of intangible services, that life cycle approaches struggle to account for.

One serious limitation of EEIO in its most basic form is that it assumes homogeneity of the direct emissions and the demands placed on other sectors, per unit of output within each sector. For example, a basic EEIO model does not take account of the carbon efficiencies that may arise from switching expenditure on paper to a renewable source from a virgin source, without reducing the actual spend. In order to mitigate this weakness, adjustment multipliers may be applied to the EEIO emissions factors based on LCA data. Overall, therefore, a hybrid methodology, drawing on the strengths of both

life cycle analysis and environmental input-output approaches, is widely considered to be best practice.

EEIO models are derived from IO tables, often compiled using nationally published statistical data on the supply and consumption of goods and services within each sector in an economy. The columns of IO tables encode purchasing sectors, while the rows are filled with selling sectors, which means that each value in the table represents, in monetary units, the trade flows between each sector required to produce a given sector's output. This table is used to produce a table of 'technical coefficients' which quantify the direct financial spend on one industry by another industry per unit of the spender's output. This table is in turn used to produce the 'Leontief Inverse' matrix which represents the cumulative required inputs of a sector all the way up the supply chain. The mathematics of this are relatively simple and can be described by the equation below, where L is the Leontief Inverse, A is the technical coefficients matrix, and I is the identity matrix.

$$L = (I - A)^{-1}$$

This model can then be environmentally extended by first taking the greenhouse gas emissions of each sector and dividing this by the total output from that sector to give a direct GHG intensity per £GBP of output. Then, multiplying each sector's total required inputs (the Leontief) with this direct GHG intensity produces an emissions factor for each sector, representing the total GHG intensity per £ which therefore encompasses each sector's entire supply chain

Multi-regional Input-Output (MRIO) Analysis

In a globalised world where the consumption of goods and services is often separated from the initial origins of production, it becomes more difficult to estimate the social and environmental impact of a product or service. As they undergo different stages of production, goods and services can pass through a network of several countries and be reassembled at various levels in the supply chain before reaching the end consumer. This issue necessitates an inter-regional approach to quantifying and modelling sustainability and ecological impact – including greenhouse gas emissions.

Environmentally extended multi-regional input-output analysis (MRIO) takes the concept of standard single-region input-output analysis and applies it at a larger scale by incorporating regional-level data and, crucially, the flows between regions. Often this is in the form of an input-output table which encodes not only the domestic trade of each sector within each country included in the model, but also the trade between every sector and country combination.

An MRIO table is essentially a large, amalgamated matrix, with domestic transaction matrices (national IO tables) occupying the diagonal blocks (shaded, below) whilst the

off-diagonal blocks show trade matrices between countries. This general format is depicted in the figure below. * represents a domestic transaction between sectors y and z in country A, while ** and *** represent international trade between different sectors in different countries.

Most commonly, MRIOs are constructed by taking national IO tables and linking them together using trade data. This is trickier than may be expected, as trade statistics often incur disagreement due to recording complications and the fact that different countries report figures with varying levels of granularity. Consequently, a vast amount of data goes into combining these sources, aiming to create a balanced MRIO table which stays close to reality whilst allowing IO analysis to be carried out.

		Country A			Country B			Country C		
		x	y	z	x	y	z	x	y	z
Country A	x									
	y									
	z		*							
Country B	x									
	y							**		
	z									
Country C	x			***						
	y									
	z									

Construction of the SWC MRIO Model

Core Data

SWC's model makes use of data from the Organisation for Economic Co-operation and Development (OECD). The OECD publishes a set of harmonised, industry-by-industry IO tables for countries that together account for around 94% of global GDP. This set comprises separate national IO tables as well as a single large MRIO table, the intercountry input-output table (ICIO) (OECD, 2023a). The OECD makes this data freely available for anyone to use, which simplifies the task of incorporating data into the model and ensures that transparency is upheld, since anyone may access and use the source

data. The OECD tables, as of the 2023 data release, cover 76 countries and 45 economic sectors in the ISIC Rev. 4 format, making them compatible with the UN's System of National Accounts 2008 (SNA08, UN 2008) and the System of Environmental-Economic Accounting (SEEA, UN 2012). The tables are available as a time series dating from 1995 up to 2020, and the unit for all values is millions of \$US in current prices for each year. The list of regions and the list of sectors covered by the OECD dataset are presented in Table 1 and Table 2, in Appendix A and Appendix B respectively.

For the required environmental accounts, OECD data is employed again where possible, as the organisation also publishes Air Emission Accounts (AEAs) in the ISIC Rev. 4 format on a residence basis (OECD, 2023b). In terms of the countries and sectors concerned, these accounts overlap significantly with the IO tables, and therefore require less harmonisation work before being combined in an EEIO model. An important quality of the data is that it is compiled using the residence basis, which covers all emissions under the direct control of the residents of each country, even if the emissions occur elsewhere. This contrasts with territorial-based methods, which only include emissions occurring within the borders of a given country, even if said emissions are economically linked to and directly controlled by another country. The OECD AEAs cover all the main greenhouse gases, which are converted and combined into tonnes of CO₂ equivalent (CO₂e) using standard IPCC factors.

A key issue with the OECD environmental accounts is that most countries for which they are available are in Europe. Environmental accounts are not always available for some of the most economically and environmentally important countries (such as India, China, Russia, and the USA), since many of these countries do not publish annual GHG data in sufficient granularity to create a set of accounts. For all the countries absent from the OECD data, a set of environmental accounts needed to be estimated via other sources, in accordance with the guidelines set out by the SEEA-approved "Manual for Air Emissions Accounts" from Eurostat (Eurostat, 2015).


Estimating Environmental Accounts

Overview

The basis for this estimation is energy balance data from the United Nations Statistics Division (UNSD) (UNSD, 2023) which provides information on the supply and use of various energy commodities and fuels within each country and sector. The first step is to convert the data from a territorial basis to a residence basis by remapping international aviation and shipping via two sub-models. This ensures compatibility with the OECD IO tables and other environmental accounts. The data is then mapped onto the relevant sectors to create a set of accounts relating to emissions-relevant energy use. Using the standard IPCC emissions factors for GHG emissions arising from the burning of different fuels, the data is further transformed into a set of combustion emissions accounts.

To complete the environmental accounts, data from the EU's Emission Database for Global Atmospheric Research (EDGAR, 2023) is used to fill in the remaining gaps relating to non-combustion-related emissions, including agricultural, as well as various other minor GHGs. This process requires mapping from EDGAR's lower-resolution sectoral classification system to the ISIC Rev. 4 classification employed by the OECD IO tables. This is why the more compatible UN energy balance data is used to estimate the initial combustion emissions, versus simply disaggregating EDGAR data for the whole set of accounts.

Finally, the IPCC's global warming potential (GWP) factors for a 100-year time scale are applied in order to combine all the different GHGs into one CO₂-equivalent (CO₂e) figure. The final estimated environmental accounts span the same 45 sectors as the OECD IO tables, to ensure compatibility, and they include CO₂, CH₄, N₂O, SF₆, NF₃, HFCs and PFCs. With both the MRIO table and the environmental accounts available, the IO analysis can be performed. The estimation process is summarised in the below diagram before a more detailed description is provided.



Estimating Energy-Related Emissions

As previously stated, the most central dataset in the estimation of the emissions accounts is the set of “Energy Balances” published by the UN Statistics Division (UNSD). The UNSD energy balances detail the fuel consumption by different areas of the energy system within each country. The UNSD compile these statistics based on its energy questionnaire which is sent to every country annually. The dataset is in the format of tables for each country and each year and are compiled on a territorial basis meaning

energy flows within the transport sector need to be adjusted at some stage. These energy balances need to be converted into sets of emissions relevant energy use accounts on a residence basis to be able to calculate combustion-related CO₂ emissions for different sectors. The columns in the data tables represent groups of energy commodities such as coal, oil, and gas whilst the rows represent energy flows in different sectors of the country's energy system. This may be seen in the below figure.

Total energy supply	Primary Coal and Peat
Primary production	Coal and Peat Products
Imports	Primary Oil
Exports	Oil Products
International marine bunkers	Natural Gas
International aviation bunkers	Biofuels and Waste
Stock changes	Nuclear
Statistical differences	Electricity
Transfers and recycled products	Heat
Transformation	Total Energy
Electricity CHP & Heat Plants	memo: Of which
Electricity Plants	Renewables
CHP plants	
Heat plants	
Coke ovens	
Briquetting plants	
Liquefaction plants	
Gas works	
Blast furnaces	
NGL & gas blending	
Oil refineries	
Other transformation	
Energy industries own use	
Losses	
Final consumption	
Final Energy Consumption	
Manufacturing const. and mining	
Iron and steel	
Chemical and petrochemical	
Non-ferrous metals	
Non-metallic minerals	
Transport equipment	
Machinery	
Mining and quarrying	
Food and tobacco	
Paper pulp and printing	
Wood and wood products	
Textile and leather	
Construction	
Industry n.e.s	
Transport	
Road	
Rail	
Domestic aviation	
Domestic navigation	
Pipeline transport	
Transport n.e.s	
Other Consumption	
Agriculture forestry and fishing	
Commerce and public services	
Households	
Other consumption n.e.s	
Non-energy use	

(Left) The structure of the energy flow rows in the UNSD “Energy Balances” dataset. (Right) The groups of energy commodities included in the data.

The values within the tables are all in common units of terajoules (TJ). The energy flows are split into three main portions: the top supply block, the middle transformation block, and the bottom consumption block. The top supply block represents the flow of energy entering the country's territory through primary production and imports as well as the energy exiting the territory through exports and bunkering. International marine and aviation bunkers involve the country supplying other territories with fuel for international journeys of ships and planes. This does not, however, represent the country's fuel use for their own international shipping and aviation. Although this supply block is useful in understanding a given country's energy system, none of these flows are relevant in constructing a set of energy use accounts for the purposes of calculating emissions.

The middle transformation block details the flows in which energy is transformed between different commodities such as from crude oil to petrol or natural gas to electricity. Many of these flow transformation processes are not emissions relevant as the energy is transformed rather than used up. Some energy is of course required to carry out the transformation, and this is embedded in the 'Energy industries own use' flow. When considering energy use relevant to emissions, the mapping of the energy use in electricity CHP and heat plants is simple and can be assigned to sector 35 in the ISIC Rev.4 format, "Electricity, gas, steam and air conditioning supply". Less simple is the mapping of 'Energy industries own use', since embedded within this one flow is energy used primarily by coke producers, oil refineries, oil & gas extractors and coal miners which require mapping to separate ISIC Rev.4 sectors. Therefore, for this flow, an inventory-based approach was opted for instead which is detailed later. The 'Blast furnaces' flow involves the production of blast furnace gas during the process of reacting coke with iron ore to produce pig iron. This is a transformation process, but it is difficult to separate out since it also partially burned in the furnace as well as often being used elsewhere in the metal plants. Therefore, despite this being a process of transformation, it can be reasonably assumed that most of it will be used in the iron and steel sector at some point in their manufacturing processes and thus can be assigned as emissions relevant energy use to that sector.

The bottom consumption block is the most relevant to the production of emissions accounts. It contains the final consumption of energy commodities across the sectors of the country's economy including manufacturing, construction, non-fuel related mining, transport, agriculture, commerce, services, and households. All of this is energy use relevant to emissions and so it is crucial to map these flows onto the relevant ISIC Rev.4 sectors as depicted in the figure below. This can require different amounts disaggregation using other auxiliary data. An issue with the dataset is the presence of the industry, transport, and other n.e.s. (not elsewhere specified) flows which in theory contain a specific set of ISIC sectors, however, in practice they can contain any of the sectors in that section which have not specifically been reported. For example, if the rows for 'Machinery' were left blank, they may be included in the 'Industry n.e.s.' flow.

The correspondence between the relevant flows of the UNSD energy balances, and the sectors of the OECD IO tables for the purposes of constructing emissions accounts.

[illegible]

12

To transform the energy balances into a set of energy accounts, the energy balance sectors need to be mapped onto the same set of sectors as used by the OECD IO tables. Many of these mappings are straightforward, however, there are also many cases of many-to-one mapping which require auxiliary data to disaggregate the necessary sectors. The correspondence between the UN set of sectors and the OECD set of sectors is shown in the above figure which was constructed using information from the IPCC's inventory guidelines as well as from the UNSD's guidelines on its annual energy questionnaire. The first task in carrying out the mapping is to disaggregate the industry, transport and, other n.e.s. flows and allocate them to the other sectors within their respective categories.

Allocating 'n.e.s.' Flows

Since the necessary 'Industry n.e.s.' allocation varies by country depending on the level of reporting, the disaggregation and allocation process needs to be specific to each country. This is achieved with the use of two binary matrices, the first simply encodes whether a value has been reported for a given energy flow/commodity combination with a 0, if no value is reported then it is assigned a value of 1. The second matrix represents whether a given energy commodity is typically used by a given sector. This is calculated by summing up all the energy balances from each country into one energy balance table representing a substantial amount of the world's energy flows. From this, it can be discerned which types of energy are generally used by which sectors by calculating each energy commodity's percentage of the total energy used by a given sector. A limit of 0.5% was set such that if a sector obtains less than 0.5% of its energy requirements from a certain energy commodity then it is assigned a value of 0 in the second binary matrix. Conversely, if more than 0.5% of a sector's energy is derived from the commodity then it is assigned a value of 1. Taking the two binary matrices and multiplying them together elementwise produces a third binary matrix which encodes which combinations of sectors and commodities should receive part of the allocation of the 'n.e.s.' flow. This method prevents allocation of the 'n.e.s.' flow to sectors which typically don't use that type of energy whilst also ignoring sector/commodity combinations for which there is already data.

The allocation process makes use of the monetary data in the IO tables for each country. The inputs in the IO tables from the energy industries to the sectors which make up each of the energy balance industry flows are first imported from the IO table and then used as a disaggregation key. In other words, the industry flows which spend more in the energy sectors will receive a greater portion of the 'Industry n.e.s.' flow. Different inputs from different energy sectors are used as disaggregation keys depending on the energy commodity to be disaggregated. The inputs from each energy industry are used as follows:

- Sector 05-06 “Mining and quarrying, energy producing products” is used to disaggregate the ‘Primary Coal and Peat’ and ‘Primary Oil’ energy commodities.
- Sector 19 “Coke and refined petroleum products” is used to disaggregate the ‘Coal and Peat Products’, ‘Oil Products’, and ‘Biofuels and Waste’ energy commodities.
- Sector 35 “Electricity, gas, steam and air conditioning supply” is used to disaggregate the ‘Natural Gas’, ‘Nuclear’, ‘Electricity’, and ‘Heat’ energy commodities. ‘Nuclear’, ‘Electricity’, and ‘Heat’ are not emissions relevant here but are included for completeness.

The ‘Other consumption n.e.s.’ flow also requires a similar approach to the ‘Industry n.e.s.’ flow. The combination of two binary matrices is again used to find out which ‘Other consumption’ flows require allocation from the ‘n.e.s.’ flow and again the inputs from energy sectors within the IO tables are used to portion out the ‘n.e.s.’ flow. One complication here is that unlike the ‘Industry n.e.s.’ flow which specifically contained sectors 22, 31, and 32, there are no whole sectors which fit into the ‘Other consumption n.e.s.’ flow. This is an issue because the situation can arise where the expected combinations of flows and commodities already contain data whilst there is still data in the ‘Other consumption n.e.s.’ flow which makes it unclear as to how this should be allocated. This is dealt with by taking the remainders left in the ‘Other consumption n.e.s.’ flow after the initial allocation and distributing it across all the other flows within the ‘Other consumption’ section, again using IO table data to do so. This ensures that no energy is missed out in the process in lieu of other information.

The handling of the ‘Transport n.e.s.’ flow is much simpler. This flow may contain emissions from a range of modes of transport including even ski lifts and funiculars. However, the predominant source of emissions in this flow is likely to be internal combustion engine (ICE) vehicles which do not fully meet the criteria for the ‘Road’ flow such as airport shuttles and loading and unloading vehicles. Therefore, the ‘Transport n.e.s.’ flow is wholly allocated to the road flow in the absence of any other data which may allow for a truer disaggregation.

With the ‘n.e.s.’ flows handled the process of mapping the energy balances flows to the OECD IO table sectors can be carried out. In some cases, this is simple as the allocation is either one-to-one or many-to-one, however, there are other cases which involve one-to-many mappings which require disaggregation. In most cases, the disaggregation process is achieved using monetary data from IO tables in a similar manner to the distribution of the n.e.s. flows. There are some exceptions, however, seen in the transport sectors due to the need to transform the data from a territory to a residence basis. It is also the case in the energy producing industries as the ‘Energy industries own use’ flow in the energy balances would not be suitable for disaggregation using the IO tables since inputs for own use are not recorded separately. For the transport sectors, separate models are implemented to allocate energy and emissions accurately whilst

the own use component of the energy industry is instead taken from a different emissions inventory dataset employed later.

Road Transport

All road transportation for private, domestic, and public use is contained within the ‘Road’ flow in the UNSD energy balances. Thus, a model needs to be implemented which can accurately disaggregate this flow across all sectors within the OECD IO tables for each country. Disaggregating the road flow using the IO tables would be inaccurate since this would entail using inputs from the petroleum refining sector and there are many other uses of products from that sector other than road transportation.

The UK’s Office for National Statistics (ONS) publish the dataset “Energy use by industry, source and fuel” which details the energy use of every sector of the economy, including domestic use, broken down by type of fuel and purpose. This dataset can be filtered to only include energy use for the purposes of road transportation and then this can be mapped to the OECD IO sectors yielding a sector-by-sector breakdown of fuel consumption for road transport. By calculating a fuel intensity metric using this data, a rough approximation of the road transport fuel use inherently required by each sector’s activities can be made which can then be used as an approximation for other countries.

The obvious fuel intensity metric which could be calculated is the road fuel use per unit of monetary output for each sector, however, this does not work so well since the value added for the same sector in different countries can vary greatly. In other words, the value of goods and services can vary a lot between countries whilst the inputs required to produce the monetary output can remain the same. Therefore, intensity metrics using a per unit monetary output basis may not be the best option for allocating road transport. Instead, a per number of employees basis is used to calculate the road fuel intensity as this is more likely to scale with the inputs required to produce a given amount of physical output.

The employment data is obtained from the OECD from their “Trade in Employment (TiM)” database which features employment numbers by ISIC Rev.4 sector for over 50 countries. This has the advantage of the data already being in the same 45 sector format as the IO tables as well as covering most countries included in the model. Unfortunately, some countries which are included in the IO tables are not included in the employment dataset. For these countries the road fuel intensity is instead calculated on a per unit monetary output basis, although, it may be possible in future work to assemble a set of employment accounts.

For the domestic portion of road use, a separate road fuel intensity metric must be calculated since households have neither an output nor employees. Calculating the metric on a population basis would not be sensible as household vehicle ownership and use varies a great deal between countries. Instead, the fuel intensity metric is calculated

using the total number of registered vehicles in each country. Of course, not all registered vehicles are used by households, but the majority are and thus this is more likely to scale better than a population basis. The data on registered vehicles is obtained from the World Health Organisation (WHO) which lists the number of vehicles in nearly every country.

Using both the industry road fuel intensity per employee and the domestic road fuel intensity per registered vehicle, the share of road fuel use across sectors for any country may be estimated by multiplying the intensities by the relevant employee and vehicle numbers and calculating the share of the total fuel use. This was then used to distribute the 'Road' flow in the energy balances across all sectors and households.

International Maritime Transport

As the energy balances are collated on the territory principle instead of the residence principle, the figures listed in the 'International marine bunkers' flow do not accurately represent the consumption of marine bunker fuel by each country. A separate model of countries' bunker consumption is thus required. Several datasets from the UN Conference on Trade and Development's (UNCTAD) fleet statistics were employed, namely the "Merchant fleet by flag of registration and by type of ship" dataset by both number and deadweight tonnage (DWT), and the "Merchant fleet by country of beneficial ownership" dataset in percentage of total ships.

The former dataset details the number and total deadweight tonnage of countries' ships used for the purposes of international transport by type of ship for the years 2011-2021. In international shipping, however, the country to which a vessel is registered is not necessarily the country which owns it and thus benefits from it economically. This is where the latter dataset is used as it details, for the countries with the top 20 largest fleets on a registration basis, the percentage of a country's fleet which is within economic ownership of any another country. Using this information, the former dataset may be adjusted to represent the international shipping activities of each country more accurately. As mentioned, however, this data is only available for the countries with the 20 largest fleets due to the often-difficult nature of tracing the nationality of a ship's true owners and so a fully accurate adjustment to the data cannot be carried out.

Once the data on ships by type for each country in number and DWT format has been adjusted, an average is calculated for each type of ship for each country by dividing the total number of ships of that type by the total DWT of ships of that type. This yields the average ship size for a given country and type of ship which may be used in conjunction with data on the average fuel consumption by ship type and size to estimate the total marine fuel consumption of each country's fleet. For each country, the number of ships of a given type and average DWT may be multiplied by the average fuel consumption for that type of ship to produce an estimate for the total fuel consumption. Countries which are included within the OECD IO tables may then be separated and a percentage of the

total marine fuel consumption may be calculated for these countries. This percentage share for each country can then be applied to the UNSD energy balance data by multiplying the share by the sum of the 'International marine bunkers' flow across all countries.

From Energy to Emissions

To finalise the energy use accounts, air travel must also be translated to the residence principle and energy use for 'Energy industries own use' must be assigned to each of the energy industries. However, these processes are applied later as an inventory-first approach is used instead and the emissions associated with this energy use are taken from other sources. With the previously noted exceptions, the UNSD energy balances have been transformed into energy use accounts in a format compatible with the OECD IO tables. The energy use accounts are used to calculate a set of accounts covering emissions of CO₂, CH₄, and N₂O resulting from energy use by using default emissions factors from the IPCC for different energy commodities.

Since the set of accounts are now in units of emissions, the aviation portion may be added in. All aviation emissions are taken from the "Air Transport CO₂ Emissions" OECD dataset which derives its figures from a sophisticated model of air travel emissions detailing every commercial, freight, and general flight, on a residence and a territory basis. The core of the OECD's methodology is a database compiled by the International Civil Aviation Organisation (ICAO) containing every flight in the world. For each flight, the database includes information on the departure and arrival airports, the operating airline and the type of aircraft flown. This is combined with the CO₂ emission calculator from Eurocontrol which, when provided with an aircraft type, engine type, and the distance flown, can estimate the quantity of fuel burnt and CO₂ emitted. This includes factoring in the variation in these figures during take-off, cruising, and landing. Since the operating airline is also known, this may be used to assign emissions to countries on either a territory or residence basis. Hence, the aviation emissions of any country on a residence basis can be taken from the OECD's dataset and added to the set of combustion accounts. Note that a factor of 1.7 is also applied to the OECD data to factor in the greater levels of radiative forcing brought about by emitting GHGs at a higher altitude. This figure is in line with currently recommended practices (BEIS, 2023).

Allocating Non-Energy Related Emissions

Combustion emissions cover the majority of GHG emissions for any given country; however, they are not the only contributor. There are non-energy and process related emissions to consider in the emissions accounts as well. An inventory approach is used to account for these emissions with data taken from the EU Joint Research Council's (JRC) Emissions Database for Global Atmospheric Research (EDGAR). EDGAR includes

CO₂, CH₄, N₂O, SF₆, NF₃, PFCs, and HFCs emissions in kilo tonnes for every country broken down by sector on a territory basis. The format is based on the UN CRF format and is highly aggregated regarding energy use emissions, for example, all of manufacturing's energy use emissions are considered together. This means it would be unsuitable to use these figures for the emissions from combustion hence why the previously described methodology involving the UNSD's energy balances is carried out. The EDGAR inventory is, however, well suited to cover the emissions from industries such as agriculture, cement production, and fossil fuel extraction. As with the UNSD energy balances, many of the categories into which the EDGAR data is divided can be directly allocated to an OECD IO table sector whilst others need to be disaggregated. The correspondence between the EDGAR UN sectoral format and the OECD IO table ISIC Rev.4 format can be seen in the figure below.

It should be noted that the EDGAR emissions figures for '1.A.1.a Main Activity Electricity and Heat Production' are allocated wholly to sector 35, electricity production. This is instead of using the previously calculated combustion emissions from the UNSD energy balances due to the fact the EDGAR figure includes emissions related to energy own use whereas the energy balance derived figure does not.

The first categories of the EDGAR inventories which require allocation are '1.A.1.bc Petroleum Refining - Manufacture of Solid Fuels and Other Energy Industries', '1.B.1 Solid Fuels', and '1.B.2 Oil and Natural Gas'. The first of these categories covers emissions from energy own use in the energy extraction and refining industries corresponding to the OECD IO sectors 05T06 "Mining and quarrying, energy producing products" and 19 "Coke and refined petroleum products". The latter two categories relate to fugitive emissions within the same sectors as well as in the sectors associated with transporting and distributing the produced energy commodities. For these three categories, two models are developed based on higher fidelity data on UK emissions from the ONS.

The allocation of the '1.A.1.bc' category makes use of the previously mentioned ONS dataset detailing energy use by industry, fuel, and purpose. This dataset was filtered to show only the energy use by sectors 05-06 and 19, the energy extraction and refining sectors, then the total emissions for each were calculated. This was carried out using the IPCC default emissions factors to convert the quantities of each fuel type used by each sector into CO₂. An emissions intensity was calculated for each sector by dividing the emissions by the total output in basic prices for the sectors from the UK OECD IO tables. These intensities were then used to estimate the emissions for these sectors from any other country in the model by multiplying the countries' total output of each sector by the relevant intensity. These estimates are not the final allocated figures but are instead used to allocate a share of the emissions from the '1.A.1.bc' EDGAR category.

OECD (ISIC Rev.4) → EDGAR (UN) ↓	D01T02	D03	D05T06	D07T08	D09	D10T12	D13T15	D16	D17T18	D19	D20	D21	D22	D23	D24	D25	D26	D27	D28	D29	D30	D31T33	D35	D36T39	D41T43	D45T47	D49	D50	D51	D52	D53	D55T56	D58T60	D61	D62T63	D64T66	D68	D69T75	D77T82	D84	D85	D86T88	D90T93	D94T96	D97T98	HH&Other			
1.A.1.a Main Activity Electricity and Heat Production	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.1.b.c Petroleum Refining - Manufacture of Solid Fuels	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.2 Manufacturing Industries and Construction	0	0	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.3.a Civil Aviation	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.3.b Road Transportation	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1.A.3.c Railways	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.3.d Water-borne Navigation	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.3.e Other Transportation	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.4 Other Sectors	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.A.5 Non-Specified	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.B.1 Solid Fuels	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1.B.2 Oil and Natural Gas	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.A.1 Cement production	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.A.2 Lime production	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.A.3 Glass Production	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.A.4 Other Process Uses of Carbonates	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.B Chemical Industry	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.C Metal Industry	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.D Non-Energy Products from Fuels and Solvents	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2.E Electronics Industry	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2.F Substitutes for Ozone Depleting Substances	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2.G Other Product Manufacture and Use	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3.A.1 Enteric Fermentation	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3.A.2 Manure Management	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3.C.1 Emissions from biomass burning	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3.C.2 Liming	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																											

The correspondence between the OECD IO table sectors (in ISIC Rev.4 format) and the EDGAR emissions inventory categories (in UN CRF format).

A similar approach is deployed for the '1.B' fugitive emissions categories, however, separate intensities for CO₂, CH₄, and N₂O are calculated due to the nature of fugitive emissions. The data used in this allocation comes from the UK National Atmospheric

Emissions Inventory (NAEI) which publishes the UK's fugitive emissions broken down to a much higher granularity than the EDGAR inventory. The data is available for CO₂, CH₄, and N₂O emissions, broken down by source and activity, and is categorised using the UN CRF format making it easy to dovetail with the EDGAR inventory.

As fugitive emissions can occur at any point before combustion there are extra relevant sectors for the '1.B' categories on top of sectors 05-06 and 19. These are the sectors "09 Mining support service activities", "24 Basic metals", "35 Electricity, gas, steam and air conditioning supply", and "49 Land transport and transport via pipelines". Using the UK fugitive emissions data, CO₂, CH₄, and N₂O emissions are allocated to these sectors so that CO₂, CH₄, and N₂O intensities per unit output at basic prices may be calculated for each sector. As before, these emission intensities are multiplied by the country specific total output of each sector to estimate the emissions of each OECD IO sector contained within the EDGAR categories, '1.B.1' and '1.B.2'. The share of the emissions in each EDGAR category is then allocated proportionally to the relevant sectors according to the set of emissions estimated using the UK derived intensities.

The remaining EDGAR categories which require one-to-many mappings are within the industry section, '2' and relate to industrial processes. The first of these is '2.B Chemical industry' which requires allocation to sector 20 "Chemical and chemical products", and sector 21 "Pharmaceuticals, medicinal chemical and botanical products". This is achieved by allocating the CH₄, N₂O, F-gases, and non-energy CO₂ proportionally according to previously estimated combustion CO₂. This is not an ideal method and further methods could be explored to achieve a more accurate allocation.

The final three categories in the EDGAR dataset requiring disaggregation are '2.D Non-Energy Products from Fuels and Solvent Use', '2.G Other Product Manufacture and Use', '2.F Product Uses as Substitutes for Ozone Depleting Substances' all of which require allocation to every sector. The first category is dominated by solvents and the second category is dominated by industrial gases. Both solvents and industrial gases are products of sector 20, the chemicals industry. Therefore, both categories, '2.D' and '2.G', are disaggregated in the same manner using data on the inputs from sector 20 to all other sectors in the IO tables. They are both allocated proportionally according to the size of each sector's inputs from the chemicals industry.

The last category comprises several sources but is largely made up of HFC emissions from industrial processes as well as refrigeration. This is allocated across each sector in a similar manner to the process used for allocating fugitive emissions described above. UK data on HFC emissions by sector is obtained from the ONS' atmospheric GHG data and the monetary output of each sector from the IO data allows for a HFC intensity per unit output to be calculated. As before, these emission intensities are multiplied by the country specific total output of each sector to estimate the emissions of each sector. The share of the emissions in each EDGAR category is then allocated proportionally to the relevant sectors according to the set of emissions estimated using the UK derived

intensities. It is worth reiterating that the UK-based intensities are not used to estimate a final figure and are only used to estimate the proportion between sectors to allow for allocation.

Combining the combustion accounts estimated from the UNSD energy balances, with the fully allocated EDGAR inventory emissions, yields a set of emissions accounts for CO₂, CH₄, N₂O, and F-gas emissions in the same sectoral format as the OECD IO tables. All that remains is to convert the CH₄, N₂O, and F-gas emissions into units of CO₂ equivalent by applying 100-year Global Warming Potential (GWP100) factors. The factors used in this step are the most recent estimates from the IPCC in the AR6. This step completes the set of estimated emissions accounts in CO₂e for each country which are now ready to be used alongside the OECD Air Emissions Accounts in environmentally extending the IO tables.

Calculating the Final Emissions Factors

The OECD ICIO table is used to calculate the associated ‘Leontief Inverse’ in the standard manner described previously, before being environmentally extended using the OECD and estimated environmental accounts. This gives a set of emissions factors covering 75 countries and 45 sectors, representing the total emissions intensity per \$US of output for each sector in each country. A final demand-based set of factors is also calculated by employing both the industry output-based factors and the final demand data within the OECD ICIO table to calculate weighted average emissions factors. The final demand-based factor for each sector in each country represents the weighted average of the goods or services bought by the final consumer within that sector, taking account of the country of origin. For example, the final demand-based factor for textiles in the UK is higher than the industry output-based factor, due to the higher prevalence of carbon-intensive imports in final demand compared to the intermediate demand of UK-based textile producers.

Using the environmentally extended MRIO model, both these sets of factors can be split further into Scope 1 (direct emissions), Scope 2 (indirect emissions from electricity consumption), and Scope 3 (all other upstream indirect emissions). Each set of factors is combined with additional layers of modelling, focusing on price margins and inflation. All factors thus far are calculated at basic prices, which represent the basic cost of the product or service; however, this is not usually the price paid by the consumer. Purchasers’ prices are defined as the basic price plus taxes (less subsidies), wholesale/retail margins, and transport margins. For each sector in each country, a ratio of purchasers’ prices to basic prices is estimated using supply and use tables sourced via the OECD and national statistical agencies. This ratio is used to adjust each set of emissions factors so that they can be expressed as either basic or purchasers’ prices.

Data from the International Monetary Fund (IMF, 2024) on the consumer price index (CPI) for each country is used to adjust each set of factors for inflation between 2021 and 2024, and thereby bring the prices and emissions factors more up to date. The factors for 2022-2024 are estimated using 2019's figures whilst the factors for 2021 are estimated using 2020's figures. This is due to COVID-19 related disruption being prevalent in 2020 and 2021. The IMF CPI sectors are coarse, meaning that only a rough mapping of these indices onto the MRIO model's sectors can be carried out; however, this is still preferable to using older figures. More recent quarterly data relating to the current year has been published; however, this data is only available for selected countries, and consequently has not been used. Due to recent high inflation rates, adjusting the emissions factors for specific countries of interest using the latest available CPI data would be recommended.

Four scopes (total, scope 1, scope 2, scope 3), two bases (country of production -based, and country of demand -based), and two prices (basic and purchasers') give a total of 16 different variations of the original set of factors from the MRIO model for each year. The final step entails incorporating these factors with the SWC UK single-region model described below. The purpose: to upscale the sectoral resolution from 45 to 105 sectors by assuming that some SWC subsectors within each OECD/MRIO sector have a similar ratio to each other. This is achieved by applying sector- and country-specific multipliers, derived from the emissions factors from the full MRIO model, to the 2018, 2019, and 2020 SWC UK models. The multipliers are calculated using the 2018, 2019, and 2020 single-region OECD IO table for the UK, in order to calculate a baseline emissions factor comparable to the SWC UK model. Every emissions factor from each of the 16 variant sets of the MRIO model is then divided by the relevant sector's baseline emissions factor from the OECD-based UK single-region model, resulting in a multiplier which can be used to adjust the 2018, 2019, and 2020 SWC UK models.

The final dataset of emissions factors therefore covers 75 countries, 103 sectors, 4 scopes, 2 bases, 2 prices, and 7 years to give a total of 865,200 emissions factors in units of kgCO₂e / £GBP.

SWC UK Model Methodology

The following methodology describes the SWC UK model to which the MRIO-derived multipliers are applied. In the UK, the main data sources are the combined supply and use matrix for 105 sectors provided by the Office of National Statistics (ONS, 2023a), and the UK environmental accounts (ONS, 2023b). The specific model used for this project was developed by Small World Consulting with Lancaster University (Berners-Lee et al., 2011).

Description of EEIO Modelling

A technical coefficients matrix of inputs from each sector per unit output of each sector is derived from Table 2: “Industries’ intermediate consumption, The ‘Combined Use’ matrix”, in combination with Table 4: “Gross fixed capital formation by industry”, based on 2018-2020 data and figures obtained from the ONS (2023a). This matrix summarises the inter-industry spending of industries in the UK economy by 105 industry groups. This information is usually derived from use tables of inputs at basic prices, which are output prices before distributors’ margins, taxes or subsidies have been applied. However, for the UK, basic prices have not been published since 1995, the ‘Combined Use’ matrix now being published in purchasers’ prices. Therefore, the latter are used in subsequent calculations. This entails the assumption that demand at purchasers’ prices (including taxes, subsidies and distributors’ margins) is as good a guide to industry activity as demand at basic prices. The summation of the ‘Combined Use’ matrix and the ‘Gross fixed capital formation by industry’ table form the basis of the IO model. From this, the technical coefficients matrix and the Leontief Inverse are constructed using the standard method described previously.

The dataset *Atmospheric emissions: greenhouse gases by industry and gas* (ONS, 2023b) gives the GHG emissions during 2018-2020 arising directly from 131 Standard Industrial Code (SIC 2007) sectors. These are mapped onto the 105 ONS IO Table industry groups using a process of combining SIC codes into single Input-Output industry groups. Emissions from aviation at altitude are known to have a higher global warming impact than the same emissions at ground level. An emissions weighting factor of 1.7 was therefore applied to the CO₂ emissions associated with the air transport sector, to reflect additional radiative forcing per unit of GHG emitted. This is the figure currently recommended by BEIS (2023). The application of this multiplier provides a first approximation of the impact of a complex yet poorly understood set of scientific phenomena surrounding aviation emissions.

UK output by sector at basic prices (ONS, 2023a) is combined with UK GHG emissions arising directly from each sector, to derive coefficients of emissions per £GBP of UK output from each sector at basic prices. The total GHG emissions arising from each industry, covering their whole supply chain, may then be calculated by multiplying the Leontief Inverse matrix and the direct GHG intensity of each industry. This produces total GHG emissions factors in units of kgCO₂e per £GBP of industry output at basic prices.

Other Key Notes on Methodology

Treatment of High-Altitude Emissions

High-altitude aeroplane emissions are known to have a higher global warming impact than their low-altitude counterparts. Although the science of this is still poorly understood, this study has applied a multiplier of 1.7 to aircraft emissions, to take account of their higher impact. This is the figure currently recommended by BEIS (2023).

Gross Fixed Capital Formation

The SWC UK model includes in its IO modelling gross fixed capital formation (GFCF), which is not a typical feature of many environmentally extended IO and MRIO models. However, since large, fixed assets can be key to certain industries and do indeed require the emission of GHGs in order to be produced, GFCF is included.

Uncertainties

There is great uncertainty over supply chain emissions resulting from the purchase of goods and services. The EEIO methodology adopted here removes the problem of systematic underestimation that compromises traditional life cycle approaches. Nevertheless, as with all footprint studies, the best estimates should be viewed as a broad guide.

A weakness is that the model is based on financial transactions, so there is no link to physical processes. This means it has the potential to be unrealistic when applied to the production of commodity materials. EEIO models depend on the structure of the national accounts, which usually aggregate a wide range of products into industry sectors, and so the results are very general. For example, a basic EEIO model does not take account of the carbon efficiencies that may arise from switching expenditure on paper from a virgin source to a renewable source, without reducing the actual spend.

References

- BEIS, 2023. “2023 Government greenhouse gas conversion factors for company reporting: Methodology Paper for Emission Factors Final Report.” Available from: <https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2023>
- Berners-Lee, M., Howard, D.C., Moss, J., Kaivanto, K., and Scott, W., 2011. “Greenhouse gas footprinting for small businesses – The use of input-output data.” *Science of the Total Environment*, **409**(5): p. 883-891.
- EDGAR, 2023: EDGAR – *The Emissions Database for Global Atmospheric Research*. European Commission Joint Research Centre (JRC) and Netherlands Environmental Assessment Agency (PBL). Available from: <https://edgar.jrc.ec.europa.eu/>
- Eurostat, 2015: *Manual for Air Emissions Accounts*. doi: 10.2785/527552.
- IMF, 2024: *Consumer Price Index (CPI)*. Available from: <https://data.imf.org/?sk=4FFB52B2-3653-409A-B471-D47B46D904B5>
- IPCC, 2018: “Summary for Policymakers.” In: *Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty*. [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)]. World Meteorological Organization, Geneva, Switzerland, 32 pp.
- Leontief, W., 1986. *Input-Output Economics*. Oxford University Press.
- Miller, R., Blair, P., 1985. *Input-Output Analysis: Foundations and Extensions*. Prentice Hall.
- OECD, 2023a: *OECD Input-Output Tables (IOTs)*. Available from: <https://www.oecd.org/sti/ind/input-outputtables.htm>
- OECD, 2023b: *OECD Air Emission Accounts (AEAs)*. Available from: <https://stats.oecd.org/Index.aspx?DataSetCode=AEA>
- ONS (Office for National Statistics), 2023a. *Input-output supply and use tables*. Available from: <https://www.ons.gov.uk/economy/nationalaccounts/supplyandusetables/datasets/inputoutputsupplyandusetables>
- ONS (Office for National Statistics), 2023b. *Atmospheric emissions: greenhouse gases by industry and gas*.

<https://www.ons.gov.uk/economy/environmentalaccounts/datasets/ukenvironmentalaccountsatmosphericemissionsgreenhousegasemissionsbyeconomicsectorandgasunitedkingdom>

UN, 2008: *System of National Accounts 2008*.

UN, 2012: *System of environmental-economic accounting: a central framework*.

UNSD, 2023: *2021 Energy Balances*. New York. Available from:
<https://unstats.un.org/unsd/energystats/pubs/balance/>

Appendix A: Regional Coverage of the OECD ICIO Tables

OECD economies		Non-OECD economies	
AUS	Australia	ARG	Argentina
AUT	Austria	BGD	Bangladesh
BEL	Belgium	BLR	Belarus
CAN	Canada	BRA	Brazil
CHL	Chile	BRN	Brunei Darussalam
COL	Colombia	BGR	Bulgaria
CRI	Costa Rica	KHM	Cambodia
CZE	Czechia	CMR	Cameroon
DNK	Denmark	CHN	China (People's Republic of)
EST	Estonia	CIV	Côte d'Ivoire
FIN	Finland	HRV	Croatia
FRA	France	CYP	Cyprus
DEU	Germany	EGY	Egypt
GRC	Greece	IND	India
HUN	Hungary	IDN	Indonesia
ISL	Iceland	JOR	Jordan
IRL	Ireland	HKG	Hong Kong, China
ISR	Israel	KAZ	Kazakhstan
ITA	Italy	LAO	Lao PDR
JPN	Japan	MYS	Malaysia
KOR	Korea	MLT	Malta
LVA	Latvia	MAR	Morocco
LTU	Lithuania	MMR	Myanmar
LUX	Luxembourg	NGA	Nigeria
MEX	Mexico	PAK	Pakistan
NLD	Netherlands	PER	Peru
NZL	New Zealand	PHL	Philippines
NOR	Norway	ROU	Romania
POL	Poland	RUS	Russian Federation
PRT	Portugal	SAU	Saudi Arabia
SVK	Slovak Republic	SEN	Senegal
SVN	Slovenia	SGP	Singapore
ESP	Spain	ZAF	South Africa
SWE	Sweden	TWN	Chinese Taipei
CHE	Switzerland	THA	Thailand
TUR	Turkey	TUN	Tunisia
GBR	United Kingdom	UKR	Ukraine
USA	United States	VNM	Viet Nam

Table 1: The full list of regions covered by the OECD IO tables in the latest 2023 release, split into OECD members and non-OECD members. The shading signifies countries for which the OECD also publishes Air Emission Accounts (AEAs) in sufficient sectoral detail to match the IO tables. Countries in bold are new additions.

November 2025

Appendix B: Sectoral Classification of the OECD ICIO Tables

Code	Industry	ISIC Rev.4
A01_02	Agriculture, hunting, forestry	01, 02
A03	Fishing and aquaculture	03
B05_06	Mining and quarrying, energy producing products	05, 06
B07_08	Mining and quarrying, non-energy producing products	07, 08
B09	Mining support service activities	09
C10T12	Food products, beverages and tobacco	10, 11, 12
C13T15	Textiles, textile products, leather and footwear	13, 14, 15
C16	Wood and products of wood and cork	16
C17_18	Paper products and printing	17, 18
C19	Coke and refined petroleum products	19
C20	Chemical and chemical products	20
C21	Pharmaceuticals, medicinal chemical and botanical products	21
C22	Rubber and plastics products	22
C23	Other non-metallic mineral products	23
C24	Basic metals	24
C25	Fabricated metal products	25
C26	Computer, electronic and optical equipment	26
C27	Electrical equipment	27
C28	Machinery and equipment, nec	28
C29	Motor vehicles, trailers and semi-trailers	29
C30	Other transport equipment	30
C31T33	Manufacturing nec; repair and installation of machinery and equipment	31, 32, 33
D	Electricity, gas, steam and air conditioning supply	35
E	Water supply; sewerage, waste management and remediation activities	36, 37, 38, 39
F	Construction	41, 42, 43
G	Wholesale and retail trade; repair of motor vehicles	45, 46, 47
H49	Land transport and transport via pipelines	49
H50	Water transport	50
H51	Air transport	51
H52	Warehousing and support activities for transportation	52
H53	Postal and courier activities	53
I	Accommodation and food service activities	55, 56
J58T60	Publishing, audiovisual and broadcasting activities	58, 59, 60
J61	Telecommunications	61
J62_63	IT and other information services	62, 63
K	Financial and insurance activities	64, 65, 66
L	Real estate activities	68
M	Professional, scientific and technical activities	69 to 75
N	Administrative and support services	77 to 82
O	Public administration and defence; compulsory social security	84
P	Education	85
Q	Human health and social work activities	86, 87, 88
R	Arts, entertainment and recreation	90, 91, 92, 93
S	Other service activities	94, 95, 96
T	Activities of households as employers; undifferentiated goods- and services-	97, 98

Table 2: The full list of the 45 sectors covered by the OECD IO tables and Air Emission Accounts.

Appendix C: Full List of Data Sources by Organisation

The following is an exhaustive list of the data sources used within the SWC MRIO model, broken down by the organisation supplying the data.

OECD

- Air Emissions Accounts
[https://data-explorer.oecd.org/vis?df\[ds\]=DisseminateFinalDMZ&df\[id\]=DSD_AEA@DF_AEA&df\[ag\]=OECD.SDD.NAD.SEEA](https://data-explorer.oecd.org/vis?df[ds]=DisseminateFinalDMZ&df[id]=DSD_AEA@DF_AEA&df[ag]=OECD.SDD.NAD.SEEA)
- Input-Output Tables (IOTs) 2023 ed.
<https://www.oecd.org/sti/ind/input-outputtables.htm>
- Inter-Country Input-Output (ICIO) Tables 2023 ed.
<https://www.oecd.org/sti/ind/inter-country-input-output-tables.htm>
- Air Transport CO2 Emissions
[https://data-explorer.oecd.org/vis?df\[ds\]=DisseminateFinalDMZ&df\[id\]=DSD_AIR_TRANSPORT@DF_AIR_TRANSPORT&df\[ag\]=OECD.SDD.NAD.SEEA](https://data-explorer.oecd.org/vis?df[ds]=DisseminateFinalDMZ&df[id]=DSD_AIR_TRANSPORT@DF_AIR_TRANSPORT&df[ag]=OECD.SDD.NAD.SEEA)
- Maritime Transport CO2 Emissions
[https://data-explorer.oecd.org/vis?df\[ds\]=DisseminateArchiveDMZ&df\[id\]=DF_MTE&df\[ag\]=OECD&df\[vs\]=1.0](https://data-explorer.oecd.org/vis?df[ds]=DisseminateArchiveDMZ&df[id]=DF_MTE&df[ag]=OECD&df[vs]=1.0)
- Trade in Employment (TiM) 2023 ed.
[https://data-explorer.oecd.org/vis?df\[ds\]=DisseminateFinalDMZ&df\[id\]=DSD_TIM_2023@DF_TIM_2023&df\[ag\]=OECD.STI.PIE](https://data-explorer.oecd.org/vis?df[ds]=DisseminateFinalDMZ&df[id]=DSD_TIM_2023@DF_TIM_2023&df[ag]=OECD.STI.PIE)
- Supply and Use Tables
[https://data-explorer.oecd.org/vis?df\[ds\]=DisseminateFinalDMZ&df\[id\]=DSD_NASU@DF_SUPPLY_T1500&df\[ag\]=OECD.SDD.NAD](https://data-explorer.oecd.org/vis?df[ds]=DisseminateFinalDMZ&df[id]=DSD_NASU@DF_SUPPLY_T1500&df[ag]=OECD.SDD.NAD)

UN

- UN Statistics Division (UNSD) - 2021 Energy Balances
<https://unstats.un.org/unsd/energystats/pubs/balance/>
- UN Conference on Trade and Development (UNCTAD) - Merchant fleet by flag of registration and by type of ship, annual
<https://unctadstat.unctad.org/datacentre/dataviewer/US.MerchantFleet>

- UN Conference on Trade and Development (UNCTAD) - Merchant fleet by country of beneficial ownership, annual
<https://unctadstat.unctad.org/datacentre/dataviewer/US.FleetBeneficialOwners>
- UN Economic Commission for Latin America and the Caribbean (ECLAC) - Supply and Use Tables
<https://statistics.cepal.org/repository/cou-mip/index.html?lang=en>

EU Joint Research Centre (JRC)

- Emissions Database for Global Atmospheric Research (EDGAR) v8.0
https://edgar.jrc.ec.europa.eu/emissions_data_and_maps

IPCC

- Global Warming Potential (GWP) AR6 2021 ed.
https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_FGD_Chapter07_SM.pdf
- Emission Factor Database
<https://www.ipcc-nggip.iges.or.jp/EFDB/main.php>

World Health Organization (WHO)

- Registered Vehicles Data by Country
<https://apps.who.int/gho/data/node.main.A995>

International Maritime Organization (IMO)

- Annual Average Total Fuel Consumption by Ship Type and Capacity
<https://greenvoyage2050.imo.org/fleet-and-co2-calculator/>

Asian Development Bank (ADB)

- Supply and Use Tables
<https://data.adb.org/search/content/type/dataset/type/dataset/tags/supply-and-use-tables-sut-132>

Misc. Government Statistical Agencies

- Egypt Supply and Use Tables
<https://censusinfo.capmas.gov.eg/Metadata-en-v4.2/index.php/catalog/518>
- Jordan Supply and Use Tables
<https://dosweb.dos.gov.jo/nationalaccount/input-and-output/>
- Kazakhstan Supply and Use Tables
<https://stat.gov.kz/en/industries/economy/national-accounts/publications/109691/>
- Philippines Supply and Use Tables
<https://psa.gov.ph/statistics/supply-and-use-input-output>
- Saudi Arabia Supply and Use Tables
<https://www.stats.gov.sa/en/1158>
- Tunisia Supply and Use Tables
<http://www.ins.tn/en/publication/national-accounts-2017-2021>
- Ukraine Supply and Use Tables
https://www.ukrstat.gov.ua/operativ/menu/menu_e/nac_r.htm

International Monetary Fund (IMF)

- Consumer Price Index (CPI) by Country
<https://data.imf.org/?sk=4FFB52B2-3653-409A-B471-D47B46D904B5&sld=1485878708037>

U.S. Department of the Treasury

- US Dollar Rates of Exchange
<https://fiscaldata.treasury.gov/datasets/treasury-reporting-rates-exchange/>

Office for National Statistics (ONS)

- Energy Use: by Industry, Source and Fuel 2023 ed.
<https://www.ons.gov.uk/economy/environmentalaccounts/datasets/ukenvironmentalaccountsenergyusebyindustrysourceandfuel>
- Input-Output Supply and Use Tables 2023 ed.
<https://www.ons.gov.uk/economy/nationalaccounts/supplyandusetables/datasets/inputoutputsupplyandusetables>
- Atmospheric Emissions: Greenhouse Gases by Industry and Gas 2023 ed.
<https://www.ons.gov.uk/economy/environmentalaccounts/datasets/ukenvironmentalaccountsatmosphericemissionsgreenhousegasemissionsbyeconomicsectorandgasunitedkingdom>

Department for Business, Energy & Industrial Strategy (BEIS)

- National Atmospheric Emissions Inventory (NAEI)
<https://naei.beis.gov.uk/>

Appendix D: Key Changes From v1.0

The following details the main changes from v1.0 of the model.

OECD ICIO

The latest release of the OECD's Inter-Country Input-Output table has added 10 new countries to the model, as seen in Appendix A, and now includes data up to 2020. This means that v2.0 of the SWC MRIO model has added those 10 new countries, taking the total from 65 to 75, and now fully models the years 2019 and 2020. Previously, the data only included up to 2018 and the factors for 2019-2023 were estimated using inflationary adjustments.

Retroactive Data Updates

All of the data used in the model, as listed in Appendix C, has been updated to the most recent version. Of course, this will affect factors for 2019 and 2020 as they are now fully modelled, but it also affects 2018 factors as many of the datasets used to build the model retroactively update their figures. This is largely due to better data becoming available over time, methodology improvements, and error corrections. This also has a knock-on effect for the 2021-2024 factors since they are projected from the 2018-2020 factors.

Transport Emissions

In accordance with the latest guidance from BEIS (2023) the additional radiative forcing factor for aviation has been changed from 1.9 to 1.7.

A new OECD dataset of maritime transport emissions has been used to adjust nationally reported figures in the OECD Air Emissions Accounts (AEAs). International maritime emissions can be difficult to estimate since many ships fly under a flag different to that of the financial beneficiary. In v1.0 of the SWC MRIO model, a maritime model was developed to account for this difference. This was deployed for countries which required their environmental accounts to be estimated as they were unavailable via the OECD AEAs. However, for countries which did have AEAs, the reported figures were used instead. Since the release of the OECD's new maritime emissions estimates, it has become clear that some countries have not been able to fully account for differences in ship ownership leading to large underestimates being reported. Due to scope issues, the new OECD data is unable to be fully integrated into the SWC MRIO model. Instead, the dataset has been used to estimate adjustment factors which have been applied to the OECD AEAs which contain the nationally reported figures. In many cases this will see a rise in the emissions factors relating to water transport.

F-gases Allocation

A new allocation model for F-gases has been deployed using UK-based data from the ONS. This applies predominantly to HFCs used for refrigeration with the final mapping from EDGAR data to OECD sectors being much more sector specific than before. This change will affect most sectors although it may especially affect smaller sectors for whom a relatively small change in the allocation can result in a proportionally larger change.

Fossil Fuel Related Fugitive Emissions

Higher granularity data from the UK's National Atmospheric Emissions Inventory (NAEI) have improved the model for allocating fugitive emissions related to the extraction and use of fossil fuel. As fugitive emissions can take place at any point from extraction to use it can be difficult to accurately assign these emissions to an economic sector. The data has allowed for a more accurate allocation resulting in more fugitive emissions being assigned to the transporting and storage of fuels.

Inflationary Adjustments

In v1.0 the years 2019-2023 were estimated using inflationary adjustments applied to 2018. Now that 2019 and 2020 are fully modelled, the inflationary adjustments are only required to estimate the years 2021-2024. For 2022-2024, the adjustments are applied to 2019 whilst for 2021 the adjustments are applied to 2020 in order to mitigate disruption due to COVID-19.



Small World Consulting are world-leading experts in measuring the carbon footprint and environmental impacts of organisations and landscapes. Working with clients across retail, telecoms, finance, manufacturing, food and hospitality, and landscapes, we show how they could thrive in a low-carbon future. A dedication to truth is at the heart of all our work.

**SMALL
WORLD
CONSULTING**



Small World Consulting | www.sw-consulting.co.uk | 01524 510272

Lancaster Environment Centre, Gordon Manley Building,
Lancaster University, LA1 4YQ